

مجموعة الحساوي الصناعية
Alhasawi Industrial Group



بأيدينا نبني أسس نهضتنا



*A*ir Conditioners

INDOOR UNITS

AIR CONDITIONER

Model No.

Heat & Cool	Cool	Cool (m)	Capacity
HIM09HSA	HIM09CSA	-	9000 BTU
HIM12HSA	HIM12CSA	-	12000 BTU
HIM18HSA	HIM18CSA	-	18000 BTU
HIM24HSA	HIM24CSA	HA2461VCR	24000 BTU



Model No.

Heat & Cool	Cool	Capacity
HIM09HHS	HIM09CHS	9000 BTU
HIM12HHS	HIM12CHS	12000 BTU
HIM18HHS	HIM18CHS	18000 BTU
HIM24HHS	HIM24CHS	24000 BTU



Model No.

Heat & Cool	Cool	Capacity
HIM24HGO	HIM24CGO	24000 BTU
HIM30HGO	HIM30CGO	30000 BTU
HIM36HGO	HIM36CGO	36000 BTU



Model No.

Heat & Cool	Cool	Capacity
HIM24H	HIM24C	24000 BTU
HIM30H	HIM30C	30000 BTU
HIM36H	HIM36C	36000 BTU




OUTDOOR UNITS

AIR CONDITIONER

Model No.

Heat & Cool	Cool	Cool (m)	Capacity
HOM09HR	HOM09CR	-	9000 BTU
HOM12HR	HOM12CR	HA1440VCR	12000 BTU
HOM18HR	HOM18CR	HA1861VCR	18000 BTU
HOM24HR/P	HOM24CR/P	HA2461VCR	24000 BTU
HOM30HR/P	HOM30CR/P	HA2451VCR	30000 BTU
HOM36HP/S	HOM36CP/S	-	36000 BTU
HOM48HP/S	HOM48CP/S	-	48000 BTU



Model No.

Heat & Cool	Cool	Capacity
HOM30H2R/P	HOM30C2R/S	30000 BTU
HOM36H2P/S	HOM36C2P/S	36000 BTU
HOM42H2P/S	HOM42C2P/S	42000 BTU
HOM48H2R/S	HOM48C2P/S	48000 BTU
HOM60H2P/S	HOM60C2P/S	60000 BTU



TOPCOOL AIR CONDITIONER

Design for Comfort



Double muting technology



High efficiency cooling & heating



Anti-bacterial filter net



Three-bend evaporator

- High efficiency designed by optimization, heat exchanger and wind channel.
- Automatic cleaning function: low-speed refrigeration, low-speed making heat and drying.
- Digital temperature display, this digital display is dynamically and easy to use.

FLOOR STANDING UNITS

AIR CONDITIONER



Anti Rust Cabinet



Flexible Wiring Connection



Self-diagnosis and Auto-Protection Function



Viva protection cover



Independent Dehumidification



Low Noise



- High efficient and powerful
- Unique dual low noise technology
- Fashionable plate panel design
- Healthy and environment protecting

Model No.

Heat & Cool
HSM24HMFT
HSM36HMFT
HSM48HMFT
HSM60HMF

Capacity
24000 BTU
36000 BTU
48000 BTU
60000 BTU

WINDOW UNITS AIR CONDITIONER



Model No.

Heat & Cool

HAW09HR
HAW12HR
HAW18HR
HAW24HR
HAW24HP

Cool

HAW09CR
HAW12CR
HAW18CR
HAW24CR
HAW24CP

Capacity

9000 BTU
12000 BTU
18000 BTU
24000 BTU
24000 BTU



Easy slide-in
and slide out chassis



Three (3) Speed Fan



Cabinet shell made of
Galvanized coated steel



Auto air sweep



One-touch easy to clean
Anti-Bacteria filter



High performance U.L approved
Compressor and fan motor



Exhaust function



High efficiency super slit fin coil

- Compact size, easy to install and operate, Indoor centrifugal fan outdoor axil fan.
- Energy saving and efficient heat exchange (for cooling and heating products).
- Three-dimensional airflow and fresh air function.

Note: R= Rotary Compressor

P= Reciprocating compressor



TECHNICAL SPECIFICATIONS

MINI SPLIT

السعة Capacity Btu/Hr	الموديل Model	النوع Type	دوران الهواء Air Circulation (m ³ /hr)	المقاس الخارجي External Dimension (mm)	الوزن Net Weight (Kg)	الكمية لكل ٤٠ قدم حاوية Qty per 40' Container
9000	Indoor HIM 09H	Heat & Cool	420	802x262x165	9.5	244
	Outdoor HOM 09HR			600x250x490	33	
	Indoor HIM 09C	Cool	420	802x262x165	9.5	
	Outdoor HOM 09CR			600x250x490	32	
12000	Indoor HIM 12H	Heat & Cool	540	890x296x176	10.5	206
	Outdoor HOM 12HR			760x260x540	41	
	Indoor HIM 12C	Cool	540	890x296x176	10.5	
	Outdoor HOM 12CR			760x260x540	40	
18000	Indoor HIM 18H	Heat & Cool	780	1005x320x200	16	155
	Outdoor HOM 18HR			800x300x690	55	
	Indoor HIM 18C	Cool	780	1005x320x200	16	
	Outdoor HOM 18CR			800x300x690	54	
24000	Indoor HIM 24H	Heat & Cool	1000	1150x320x215	19	144
	Outdoor HOM 24HR			800x300x690	55	
	Indoor HIM 24C	Cool	1000	1150x320x215	19	
	Outdoor HOM 24CR			800x300x690	54	
30000	Indoor HIM 30H	Heat & Cool	1150	1080x330x232	17	127
	Outdoor HOM 30HR			845x335x695	69	
	Indoor HIM 30C	Cool	1150	1080x330x232	17	
	Outdoor HOM 30CR			845x335x695	67	
36000	Indoor HIM 36H	Heat & Cool	1350	1250x325x240	18	96
	Outdoor HOM 36HR			895x330x860	82	
	Indoor HIM 36C	Cool	1350	1250x325x240	18	
	Outdoor HOM 36CR			895x330x860	80	

WINDOWS

السعة Capacity Btu/Hr	الموديل Model	النوع Type	المقاس الخارجي External Dimension (mm)	دوران الهواء Air Circulation (m ³ /hr)	الوزن Net Weight (Kg)	الكمية لكل ٤٠ قدم حاوية Qty per 40' Container
9000	HAW09CR	COOL	340x520x495	350	31	378
9000	HAW09HR	HEAT & COOL	340x520x495	350	33	285
18000	HAW18CR	COOL	436x660x436	750	75	168
18000	HAW18HR	HEAT & COOL	436x660x436	750	75	168
24000	HAW24CP	COOL	436x660x756	850	78	168
24000	HAW24HP	HEAT & COOL	436x660x756	850	78	168

FLOOR STANDING

السعة Capacity Btu/Hr	الموديل Model	النوع Type	المقاس الخارجي External Dimension (mm)	دوران الهواء Air Circulation (m ³ /hr)	الوزن Net Weight (Kg)	الكمية لكل ٤٠ قدم حاوية Qty per 40' Container
24000	HSM24HMFT	HEAT & COOL	(Indoor) 1665x500x273	1000	46	87
			(Outdoor) 695x845x335		69	
48000	HSM48HMFT	HEAT & COOL	(Indoor) 1775x540x379	2000	57	48
			(Outdoor) 960x990x360		92	
60000	HSM60HMFE	HEAT & COOL	(Indoor) 1900x600x358	2200	65	45
			(Outdoor) 1985x685x450		116	

الضاغط نوع Reciprocate يوجد حسب الطلب
Reciprocate Compressors are available upon request

R= Rotary Compressor P= Reciprocating compressor S= Scroll compressor

الموديلات والمقاسات والمواصفات الفنية قابلة للتغيير بدون إخطار
Models & Technical Specifications Subject to change without notice



شهادة المصنع المتميز



مصانع الحساوي لصناعة الثلجات ومبردات الماء

مجموعة الحساوي الصناعية Alhasawi Industrial Group

تلفون: ٤٧٦٩١٠٠ فاكس: ٤٧٢٠٠٩١-٢ ص.ب: ١١٧٥ الصفاة-١٢-١٣٠١٢ الصفاة-الكويت

Tel: 4769100 - Fax: 4720091/2 - P.O. BOX: 1175 Safat-13012 Safat - Kuwait

Email: sales@alhasawi.com

www.alhasawi.com

