Lancha de Ação Rápida - LAR Rapid Action Craft - LAR

Lancha de alta velocidade e calado reduzido, projetada para missões rápidas de patrulha em pontos distantes de até 200 milhas da sua Base. Possui um casco planador, em alumínio naval, otimizado com os requisitos para

eficiência hidrodinâmica. É excelente para auxílio às operações militares de abicagem ribeirinhas e costeiras. É também apropriada para emprego, de caráter civil, em apoio às instalações off-shore, em portos, na fiscalização da pesca, no controle e combate à poluição das águas devido a acidentes ambientais, e como ambulância marítima. Tem sistema de propulsão com motor Diesel de torque elevado para aceleração rápida.



A high speed craft with low draught, designed for fast patrol missions, achieving points situated as far as 200 miles from its Base. Having a planing hull in naval aluminum, optimized in accordance with

requirements for hydrodynamic efficiency, it is excellent for military operations like landing of troops on rivers and beaches. It is also adequate for civil applications, such as support to off-shore installations, in ports

surveillance, fishing control, waterpollution fighting due environment accidents, and as maritime ambulance. A powerful Diesel engine propulsion system develops elevated torque to produce fast acceleration.



A qualidade dos produtos e serviços fornecidos pela Emgepron é garantida pela Marinha do Brasil.

The quality of Emgepron's products and services is ensured by Brazilian Navy.



CARACTERÍSTICAS PRINCIPAIS

Comprimento total 7,55 m Boca máxima 2,30 m Pontal 1,00 m

Calado máximo 0,40 m, com a bolina – 0,60 m

Deslocamento padrão 3,0 t Deslocamento leve 1,3 t

Motor / Rabeta 1 Volvo Penta KAD-43P / DP – 230 HP

Tanque de óleo Diesel500 IVelocidade máxima35 nósVelocidade cruzeiro c/carga25 nósTripulação01Passageiros13

Raio de ação a 25 nós 400 milhas Autonomia mínima 1 dia Tonelagem bruta de registro 3,2

MAIN CHARACTERISTICS

 Length
 7.55 m

 Beam
 2.30 m

 Depth
 1.00 m

Loaded draught 0.40 m, with a fin – 0,60 m

Standard Displacement 3.0 tons Light Displacement 1.3 tons

Engine / Drive 1 Volvo Penta KAD-43P / DP – 230 HP

Diesel fuel tank 500 l
Maximum speed 35 knots
Cruising speed with payload 25 knots
Crew 01
Passengers 13

Range at 25 knots 400 miles
Minimum Endurance 1 day
Gross Tonnage 3.2

Ilha das Cobras - Edificio Almirante Raphael de Azevedo Branco Centro – Rio de Janeiro – RJ – Brasil / Cep: 20091-000 Tel.: 55 (21) 3907-1800 Fax: 55 (21) 2233-5142

e-mail: marketing@emgepron.com.br website: www.emgepron.com.br

